## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	47	I5 AND DISTANCE and (timestamp or time or time?stamp or "time stamp")	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/14 05:42
L7	12	IS AND DISTANCE and (timestamp or time?stamp or "time stamp")	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/14 06:02
L9	59	("2001/0053699").URPN.	USPAT	OR	ON	2007/06/14 05:54
L11	334	((determin\$3 or calculat\$3 evaluat\$3) near4 DISTANCE) same (timestamp or time?stamp or "time stamp")	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/14 06:19
L13	689	((determin\$3 or calculat\$3 evaluat\$3) near4 DISTANCE) same (time near value)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/14 06:21
L14	21	L13 and (round?trip or (round adj trip) adj time)	US-PGPUB; USPAT; USOCR	OR ·	ON	2007/06/14 06:21
L15	43749	((determin\$3 or calculat\$3 evaluat\$3) near4 DISTANCE) same (time)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/14 06:33
L16	21	L14 and (round?trip or (round adj trip) adj time)	US-PGPUB; USPAT; USOCR	OR .	ON	2007/06/14 06:22
L17	938	L15 and (round?trip or (round adj trip) adj time)	US-PGPUB; USPAT; USOCR	OR.	ON	2007/06/14 06:34
L18	698	((determin\$3 or calculat\$3 evaluat\$3) near4 DISTANCE) same ((time or timestamp or (time adj stamp)) with (message or packet))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/14 07:20
L19	117	L18 and (round?trip or (round adj trip) adj time)	US-PGPUB; USPAT; USOCR	OR	OŇ	2007/06/14 06:34
L22	65	((determin\$3 or calculat\$3 evaluat\$3) near4 DISTANCE) and ((RTS or CTS) same((time or timestamp or (time adj stamp)) with (message or packet)))	US-PGPUB; USPAT; USOCR	OR	ON .	2007/06/14 07:03
L23	232	((determin\$3 or calculat\$3 evaluat\$3) near4 DISTANCE) and ((RTS or CTS) same((time or timestamp or (time adj stamp)) with (frame or message or packet)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/14 07:03

## **EAST Search History**



■ Search Session History

Home | Login | Logout | Access In Alerts | Sitem

Welcome United States Patent and Trademark Office

BROWSE SEA

SEARCH

IEEE XPLORE
GUIDE

Thu, 14 Jun 2007, 7:32:07 AM EST

Edit an existing query or compose a new query in the Search Query Display.

# Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- · Run a search

#### Search Query Display



### **Recent Search Queries**

- #2
  (( ( distance<in>metadata ) <and> ( (~~time
  stamp~~ or timestamp)<in>metadata ) )
  <and> ( ranging<in>metadata ) ) <and> (pyr
  >= 1950 <and> pyr <= 2003)</pre>
- (( ( distance<in>metadata ) <and> ( (~~time
  stamp~~ or timestamp)<in>metadata ) )
  <and> ( ranging<in>metadata ) ) <and> (pyr
  >= 1950 <and> pyr <= 2003)</pre>
- ((((determine and distance and (timestamp
  #4 or ~~time stamp~~)))<in>metadata)) <and>
  (pyr >= 1950 <and> pyr <= 2003)</pre>
- ((((determine and distance and (timestamp
  #5 or ~~time stamp~~)))<in>metadata)) <and>
  (pyr >= 1950 <and> pyr <= 2003)</pre>
- ((((rts and cts and (timestamp or ~~time stamp~~)))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003)</pre>
- (( ( rts<in>metadata ) <and>
  ( cts<in>metadata ) ) <and>
  ( time<in>metadata ) ) <and> (pyr >= 1950 <and> pyr <= 2003)
- #8 (( ( rts<in>metadata ) <and>

```
( cts<in>metadata ) )) <and> (pyr >= 1950
     <and> pyr <= 2003)
     (((( rts<in>metadata ) <and>
     (cts<in>metadata))) < and < (pyr >= 1950)
#9
     <and> pyr <= 2003))<AND>
     (distance<in>metadata))
     (((( ( rts<in>metadata ) <and>
     (cts<in>metadata))) <and>(pyr >= 1950
#10
     <and> pyr <= 2003))<AND>
     (distance<in>metadata))
     (( ( rts<in>metadata ) <and>
#11 (cts<in>metadata))) <and> (pyr >= 1950
     <and> pyr <= 2003)
     ((((determine and distance))<in>metadata))
#12
     <and> (pyr >= 1950 <and> pyr <= 2003)
```



可Inspec®

Help Contact U Securit © Copyright 20( Righ